

Kennel Union of Southern Africa

# **POINTER**

A breed standard is the guideline which describes the ideal characteristics, temperament and appearance including the correct colour of a breed and ensures that the breed is fit for function. Absolute soundness is essential. Breeders and judges should at all times be careful to avoid obvious conditions or exaggerations which would be detrimental in any way to the health, welfare or soundness of this breed. If a feature or quality is desirable it should only be present in the right measure. However, if a dog possesses a feature, characteristic or colour described as unacceptable, it must not be rewarded in the show ring.

Most recent changes to this Standard has an effective date of 01/07/2025

# **ORIGIN**

Great Britain.

#### UTILISATION

Pointing dog.

# **BRIEF HISTORICAL SUMMARY**

[ed. For interest, from Wikipedia: The Pointer]:

There has been much debate among dog historians about the ancestry of the Pointer. The most commonly held position of the Pointer's origin is that the breed descends from Old Spanish Pointers imported into England in 1713 by soldiers returning from Spain after the Peace of Utrecht. Other early sources suggest Portuguese Pointers, Italian Braccos, or French Pointers were the foundation of the English breed. It is noteworthy that, in those days, dog breeds did not exist as they are




Illustration courtesy of NKU Picture Library

known in more modern times, and that a more general pointing type of dog was known in all of these countries. Early Pointers were comparatively heavy, ponderous dogs, able to hold a steady point whilst the hunter readied his gun. With the steady improvement of firearms throughout the 18<sup>th</sup> and 19<sup>th</sup> centuries, faster and more agile dogs were sought, so Greyhounds were increasingly introduced to add speed. The introduction of Greyhound blood resulted in the modern Pointer being a much finer dog with a comparatively tucked-up loin, tighter lips and low-set tail, more akin to that of the Greyhound than European Pointer breeds. The Pointer's breed standard was formally adopted in 1936 and has subsequently remained largely unchanged.

# **GENERAL APPEARANCE**

Symmetrical and well-built all over, general outline a series of graceful curves. A strong but lissom appearance.

#### **CHARACTERISTICS**

Aristocratic. Alert with appearance of strength, endurance, and speed.

## **TEMPERAMENT**

Kind, even disposition.

## **HEAD & SKULL**

Skull of medium breadth, in proportion to length of foreface, stop well-defined, pronounced occipital bone. Nose and eye-rims dark, but may be lighter in the case of a lemon- and white-coloured dog. Nostrils wide, soft, and moist. Muzzle somewhat concave, ending on a level with nostrils, giving a slightly dish-faced appearance. Slight depression under eyes, cheek bones not prominent, well-developed, soft lip.

# Eyes:

Same distance from occiput as from nostrils, bright and kindly in expression. Either hazel or brown according to colour of coat. Neither bold nor staring, not looking down the nose.

#### <u>Ears:</u>

Leathers thin, set on fairly high, lying close to head, of medium length, slightly pointed at tips.

Mouth:

Jaws strong, with perfect, regular, and complete scissor bite, i.e. upper teeth closely overlapping lower teeth and set square to the jaws.

#### **NECK**

Long, muscular, slightly arched, springing cleanly from shoulders and free from throatiness.

### **FOREQUARTERS**

Shoulders long, sloping, and well laid back. Chest just wide enough for plenty of heart room. Brisket well let down to level with elbows. Forelegs straight and firm, with good oval bone, with back sinews strong and visible. Knee joint flat with front leg and protruding very little on inside. Pasterns lengthy, strong, and resilient. Slightly sloping.

## **BODY**

Well-sprung ribs carried well back gradually falling away at strong, muscular, and slightly arched loins. Short-coupled. Haunch bones well-spaced and prominent, not above level of back.

#### **HINDQUARTERS**

Very muscular. Well-turned stifles. Good expanse of first and second thigh. Hocks well let down.

#### FEET

Oval, well-knit, arched toes, well-cushioned.

#### TAIL

Medium length, thick at root, tapering gradually to a point. Well-covered with close hair, carried on a level with back, with no upward curl. In movement, tail should lash from side to side.

#### **GAIT / MOVEMENT**

Smooth, covering plenty of ground. Driving hind action, elbows neither in nor out. Hackney action highly undesirable.

#### COAT

Fine, short, hard, and evenly distributed, perfectly smooth and straight with decided sheen.

## COLOUR

Usual colours are:

- Lemon and white, orange and white, liver and white, and black and white.
- \* Self colours and tricolours are also correct.

Any other colour or combination of colours unacceptable.

# SIZE

# **Height at withers:**

**Males:** 63cm - 69cm (approx. 25" - 27") **Females:** 61cm - 66cm (approx. 24" - 26")

**N.B.** Male animals should have two apparently normal testicles fully descended into the scrotum. Only functionally and clinically healthy dogs, with breed typical conformation should be used for breeding.

# **FAULTS**

Any departure from the foregoing points should be considered a fault and the seriousness with which the fault should be regarded should be in exact proportion to its degree and its effect upon the health and welfare of the dog, and on the dog's ability to perform its traditional work.

# ©Copyright Kennel Club, London 09/2007 - Reprinted with permission

The publisher of this edition is the Kennel Union of Southern Africa. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form, or by any means, electronic, mechanical, photocopying, recording or otherwise without permission in writing from the publisher.



When judging this breed at FCI International Shows, use:

FCI Standard No. 1: ENGLISH POINTER

FCI Classification: Group 7 - Pointing Dogs.
Section 2.1 - British and Irish Pointers and Setters – Pointer With working trial.